ELSEVIER

Volume 58, issues 1–3, December 2006

Environmental and Experimental Botany

www.elsevier.com/locate/envexpbot

CONTENTS

INDEXED/ABSTRACTED IN: *Biological & Agricultural Index, BIOSIS Database, Current Contents, Elsevier BIOBASE/ Current Awareness in Biological Sciences, EMBiology, Environmental Periodicals Bibliog, GEOBASE, INSPEC, PASCAL/CNRS Database, Science Citation Index*

Some physiological and growth responses of watermelon [C*itrullus lanatus* (Thunb.) Matsum. and Nakai] grafted onto *Lagenaria siceraria* to flooding
H. Yetisir, M.E. Çaliskan, S. Soylu and M. Sakar (Hatay, Turkey) 1

Effects of Cd, Pb, and Cu on growth and essential oil contents in dill, peppermint, and basil
V.D. Zheljazkov (Truro, Canada), L.E. Craker and B. Xing (Amherst, MA, USA) 9

Physiological and nutritional indicators of tolerance to salinity in chickpea plants growing under symbiotic conditions
N.A. Tejera (Granada, Spain), M. Soussi (Madrid, Spain) and C. Lluch (Granada, Spain) 17

Localization and effects of cadmium in leaves of a cadmium-tolerant willow (*Salix viminalis* L.). Part II Microlocalization and cellular effects of cadmium
P. Vollenweider (Birmensdorf, Switzerland), C. Cosio (Lausanne, Switzerland), M.S. Günthardt-Goerg (Birmensdorf, Switzerland) and C. Keller (Lausanne, Switzerland) 25

Seasonal fluctuations in pigment chemistry of co-occurring plant hemi-parasites of distinct form and function
D.C. Close (Hobart, Perth, Crawley, Australia), N.J. Davidson and N.W. Davies (Hobart, Australia) 41

Ultrastructural changes of radish leaf exposed to cadmium
A.P. Vitória, M. Da Cunha (Campos dos Goytacazes, Brazil) and R.A. Azevedo (Piracicaba, Brazil) 47

Revelation on early response and molecular mechanism of submergence tolerance in maize roots by microarray and suppression subtractive hybridization
Z.-x. Zhang (Wuhan, Baoding Hebei, People's Republic of China), X.-l. Zou, W.-h. Tang and Y.-l. Zheng (Wuhan, People's Republic of China) 53

Localization and effects of cadmium in leaves of a cadmium-tolerant willow (*Salix viminalis* L.). I. Macrolocalization and phytotoxic effects of cadmium
C. Cosio (Lausanne, Switzerland), P. Vollenweider (Birmensdorf, Switzerland) and C. Keller (Lausanne, Switzerland) 64

Influence of transient shade periods on the effects of drought on photosynthesis, carbohydrate accumulation and lipid peroxidation in sunflower leaves
M.J. Correia, M.L. Osório, J. Osório, I. Barrote, M. Martins and M.M. David (Faro, Portugal) 75

Effects of elevated CO_2 on the phytoalexin production of two soybean cultivars differing in the resistance to stem canker disease
M.R. Braga, M.P.M. Aidar, M.A. Marabesi and J.R.L. de Godoy (São Paulo, Brazil) 85

Lipid peroxidation and antioxidant enzyme activities of *Euphorbia millii* hyperhydric shoots
Y.H. Dewir (Cheong-ju, Republic of Korea and Kafr El-Sheikh, Egypt), D. Chakrabarty (Cheong-ju, Republic of Korea and Lucknow, India), M.B. Ali, E.J. Hahn and K.Y. Paek (Cheong-ju, Republic of Korea) 93

n-Alkane distribution of leaves of *Psidium guajava* exposed to industrial air pollutants
C.M. Furlan, D.Y.A.C. Santos, A. Salatino and M. Domingos (São Paulo, Brazil) 100

Differential sensitivity of C_3 and C_4 plants to water deficit stress: Association with oxidative stress and antioxidants
H. Nayyar and D. Gupta (Chandigarh, India) 106

(*Contents continued on page 299*)

Information about *Environmental and Experimental Botany* is available on the World Wide Web at the following URL address: http://www.elsevier.com/locate/envexpbot

This Home Page gives access to: the journal's Table of Contents service and ordering information and also enables users to search the WWW catalogue and Tables of Contents service (ESTOC) covering all Elsevier journals.

0098-8472(200612)58:1/3;1-Q

Available online at www.sciencedirect.com

ScienceDirect

00267

(*Contents continued from outside back cover*)

Some effects of nitrogen nutrition on caesium uptake and translocation by species in the Poaceae, Asteraceae and Caryophyllidae
N. Willey (Bristol, UK) and S. Tang (Guangzhou, PR China) 114
Growth and stress conditions cause similar changes in xylem amino acids for different legume species
L. do Amarante, J.D. Lima and L. Sodek (Campinas, Brazil) 123
Response of two coast redwood (*Sequoia sempervirens* Endl.) varieties to moderate levels of salt and boron spray measured by stress symptoms: Implications for landscape irrigation using recycled water
L. Wu and X. Guo (Davis, CA, USA) 130
The effects of salinity and soil drying on nutrient uptake and growth of *Spartina alterniflora* in a simulated tidal system
C.E. Brown, S.R. Pezeshki (Memphis, TN, USA) and R.D. DeLaune (Baton Rouge, LA, USA) 140
Response of chlorophyll fluorescence to dynamic light in three alpine species differing in plant architecture
X. Cui (Xining, Beijing, PR China), H. Niu, J. Wu (Beijing, PR China), S. Gu (Xining, PR China), Y. Wang (Beijing, PR China), S. Wang, X. Zhao (Xining, PR China) and Y. Tang (Ibaraki, Japan) 149
Effects of simulated acid rain on the foliar micromorphology and anatomy of tree tropical species
B. Francisco Sant'Anna-Santos, L. Campos da Silva, A. Alves Azevedo, J. Marcos de Araújo, E. Figueiredo Alves, E. Antônio Monteiro da Silva and R. Aguiar (Viçosa, Brasil) 158
Physiological responses to cumulative ozone uptake in two white clover (*Trifolium repens* L. cv. Regal) clones with different ozone sensitivity
K.Y. Crous (Wilrijk, Belgium and Ann Arbor, MI, USA), K. Vandermeiren (Tervuren, Belgium) and R. Ceulemans (Wilrijk, Belgium) 169
Procedures to determine the amount of plant cover/basal area in field plots
L.S. Evans, J. Harnett Sr. and Z. Kahn-Jetter (The Bronx, NY, USA) 180
Effects of foliar application of calcium nitrate on growth and physiological attributes of cowpea (*Vigna unguiculata* L. Walp.) grown under salt stress
B. Murillo-Amador (Baja California Sur, Mexico), H.G. Jones (Scotland, UK), C. Kaya (Turkey), R.L. Aguilar, J.L. García-Hernández, E. Troyo-Diéguez, N.Y. Ávila-Serrano (Baja California Sur, Mexico) and E. Rueda-Puente (Sonora, Mexico) 188
Effect of excess manganese on the antioxidant system in *Cucumis sativus* L. under two light intensities
Q. Shi, Z. Zhu, M. Xu, Q. Qian and J. Yu (Hangzhou, PR China) 197
Arsenic hyperaccumulation by aquatic macrophytes in the Taupo Volcanic Zone, New Zealand
B. Robinson (Zürich, Switzerland and Palmerston North, New Zealand), N. Kim (Hamilton, New Zealand), M. Marchetti, C. Moni, L. Schroeter, C. van den Dijssel, G. Milne and B. Clothier (Palmerston North, New Zealand) 206
Differential response of antioxidant enzymes to salinity stress in two varieties of *Azolla* (*Azolla pinnata* and *Azolla filiculoides*)
A. Masood, N.A. Shah, M. Zeeshan and G. Abraham (Allahabad, India) 216
Seasonal variation of indigo precursors in *Isatis tinctoria* L. and *Polygonum tinctorium* Ait. as affected by water deficit
E. Campeol, L.G. Angelini, S. Tozzi and M. Bertolacci (Pisa, Italy) 223
Effects of high chromium applications on miscanthus during the period of maximum growth
I. Arduini, A. Masoni and L. Ercoli (Pisa, Italy) 234
Preliminary compositional nutrient diagnosis norms in *Aloe vera* L. grown on calcareous soil in an arid environment
J.L. García-Hernández, R.D. Valdez-Cepeda (Zacatecas, Mexico), B. Murillo-Amador, F.A. Beltrán-Morales, F.H. Ruiz-Espinoza (La Paz, Mexico), I. Orona-Castillo, A. Flores-Hernández (Dgo., Mexico) and E. Troyo-Diéguez (La Paz, Mexico) 244
Effects of cadmium on meristem activity and nucleus ploidy in roots of *Pisum sativum* L. cv. Frisson seedlings
A. Fusconi (Torino, Italy), O. Repetto (Alessandria, Italy and Dijon, France), E. Bona, N. Massa (Alessandria, Italy), C. Gallo (Torino, Italy), E. Dumas-Gaudot (Dijon, France) and G. Berta (Alessandria, Italy) 253
Increased photosynthetic activities and thermostability of photosystem II with leaf development of elm seedlings (*Ulmus pumila*) probed by the fast fluorescence rise OJIP
C.-D. Jiang, G.-M. Jiang (Beijing, PR China), X. Wang (Indianapolis, IN, USA), L.-H. Li, D.K. Biswas and Y.-G. Li (Beijing, PR China) 261
Partitioning of zinc, cadmium, manganese and cobalt in wheat (*Triticum aestivum*) and lupin (*Lupinus albus*) and further release into the soil
V. Page (Bern, Switzerland), R.-C.L. Bayon (Neuchâtel, Switzerland) and U. Feller (Bern, Switzerland) 269
Clonal variation in stomatal characteristics related to biomass production of 12 poplar (*Populus*) clones in a short rotation coppice culture
N. Al Afas, N. Marron and R. Ceulemans (Wilrijk, Belgium) 279
Growth and visible injuries of four *Centaurea jacea* L. ecotypes exposed to elevated ozone and carbon dioxide
K. Rämö, H. Slotte, T. Kanerva (Finland), K. Ojanperä (Jokioinen, Finland) and S. Manninen (Finland) 287

Vol. 58

Iss. 1 - 3

DEC

2006